

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	35	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and (wait with register\$1) and (bus near2 control\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 control\$5) same ((extend\$4 or extension\$1 or increas\$6) with (time\$1 or access\$4 or cycle\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 07:37
L5	13	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with (time\$1 or cycle\$1)) with register\$1) and (bus near2 control\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 control\$5) same ((extend\$4 or extension\$1 or increas\$6) with (time\$1 or access\$4 or cycle\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 07:50
L6	37	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$6 with (time\$1 or cycle\$1)) with register\$1) and (bus near2 control\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 control\$5) same ((extend\$4 or extension\$1 or increas\$6) with (time\$1 or access\$4 or cycle\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 07:53
L7	27	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and (wait with register\$1) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 control\$5) same ((extend\$4 or extension\$1 or increas\$6) with (time\$1 or access\$4 or cycle\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 08:14

L9	42	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((wait or time\$1 or cycle\$1) with register\$1) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 control\$5) same ((extend\$4 or extension\$1 or increas\$6) with (time\$1 or access\$4 or cycle\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 08:23
L10	39	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and (control near register\$1) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 control\$5) same ((extend\$4 or extension\$1 or increas\$6) with (time\$1 or access\$4 or cycle\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 08:21
L12	99	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((control near register\$1) with (time\$1 or cycle\$1 or access\$3)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) same request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 08:26
L14	72	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((wait or time\$1 or cycle\$1) with register\$1) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) with request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 08:27
L15	33	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((control near register\$1) with (time\$1 or cycle\$1 or access\$3)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) with request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 08:27

L16	95	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((control near register\$1) with (time\$1 or cycle\$1 or access\$3)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) same request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:13
L17	56	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((wait or time\$1 or cycle\$1) with register\$1) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) with request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 09:51
L18	33	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((control near register\$1) with (time\$1 or cycle\$1 or access\$3)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) with request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 08:28
L19	28	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$4 near2 control near2 register\$1) with (time\$1 or cycle\$1 or access\$3)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) same request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:20

L20	146	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings) with register\$1) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) same request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:21
L21	101	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) same request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:22
L22	100	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) same request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and (read\$4 and (write\$1 or writing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:23
L23	20	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((bus near2 interfac\$5) same request\$4) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((read\$4 and (write\$1 or writing)) with (external\$3 near2 bus\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:25

L24	38	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((read\$4 and (write\$1 or writing)) with (external\$3 near2 bus\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:31
L25	2	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and ((bus near2 control\$5) with external\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((read\$4 and (write\$1 or writing)) with (external\$3 near2 bus\$2)) and (remap\$5 or (re adj map\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:30
L27	2	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((read\$4 and (write\$1 or writing)) with (external\$3 near2 bus\$2)) and (remap\$5 or (re adj map\$5)) and external\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:35
L28	51	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((read\$4 and (write\$1 or writing)) with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:55

L29	3	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((read\$4 and (write\$1 or writing)) with (external\$3 near2 bus\$2)) and (remap\$5 or (re adj map\$5)) and external\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:57
L30	51	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:16
L31	3	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1)) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and (remap\$5 or (re adj map\$5)) and external\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:16
L32	51	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or timing or access\$3 or cycle\$1)) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:22

L33	3	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((set\$1 or settings or increas\$5) with register\$1 with (time\$1 or access\$3 or cycle\$1 or timing)) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and (remap\$5 or (re adj map\$5)) and external\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:16
L38	76132	(oki near electric).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:11
L39	0	L38 and (wait\$ near signal\$1) and (access\$6 with time\$1) and register\$4 and (buses with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:12
L40	6	L38 and (wait\$ near signal\$1) and (access\$6 with (time\$1 or timing\$1)) and register\$4 and (bus\$2 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:40
L41	10	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$3 adj (time\$1 or timing)) with register\$3) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:22
L42	21	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$3 adj2 (time\$1 or timing)) with register\$3) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:25

L43	34	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$3 adj2 (time\$1 or timing or cycle\$1)) with register\$3) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:25
L44	21	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$3 adj2 (time\$1 or timing or cycle\$1)) with register\$3) and ((bus near2 control\$5) with request\$4) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:27
L45	23	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$3 adj2 (time\$1 or timing or cycle\$1)) with register\$3) and ((bus near2 control\$5) with request\$4) and (bus with interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:47
L46	20	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and (wait\$3 with register\$3) and ((bus near2 control\$5) with request\$4) and (bus with interfac\$5) and ((bus near2 control\$4) with (wait)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:55

L47	23	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and (wait\$3 with register\$3) and (bus near2 control\$5) and (bus with interfac\$5) and ((bus near2 control\$4) with (wait)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:14
L48	8	L38 and (wait\$ near signal\$1) and (access\$6 with (time\$1 or timing\$1)) and register\$4 and bus\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:22
L49	5	L38 and (wait\$ near signal\$1) and (access\$6 with (time\$1 or timing\$1)) and register\$4 and bus\$2 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:41
L50	0	"11362321"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:15
L51	0	"11-362321"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:15
L52	1	"jp11362321"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:15
L53	2234	((bus near2 control\$5) with access\$3 with request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:17
L54	468	((bus near2 control\$5) with access\$3 with request\$5) and (wait\$3 near (signal\$1 or command\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:17
L55	241	((bus near2 control\$5) with access\$3 with request\$5) and (wait\$3 near (signal\$1 or command\$1 or state\$1)) and register\$4 and (bus\$2 near2 interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:18

L56	102	((bus near2 control\$5) with access\$3 with request\$5) and (wait\$3 near (signal\$1 or command\$1 or state\$1)) and (register\$4 with wait\$3) and (bus\$2 near2 interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:19
L57	44	((bus near2 control\$5) with access\$3 with request\$5 with external\$2) and (wait\$3 near (signal\$1 or command\$1 or state\$1)) and (register\$4 with wait\$3) and (bus\$2 near2 interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:21
L58	443	(702/186).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:21
L59	1	I58 and (wait\$3 near (signal\$1 or command\$1 or state\$1)) and ((access\$3 adj (time\$1 or timing)) with register\$3) and (bus near2 control\$5) and (bus near2 interfac\$5) and ((bus near2 control\$4) with (access\$4 or time\$1 or cycle\$1)) and ((write\$1 or writing) with (external\$3 near2 bus\$2)) and (read\$4 with (external\$3 near2 bus\$2)) and external\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:23
L60	15	I58 and (wait\$3 near (signal\$1 or command\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:27
L61	173	(711/110).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:25
L62	1366	(711/167).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:26
L64	559	(710/240).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:27

L65	9	l61 and (wait\$3 near (signal\$1 or command\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:28
L66	273	l62 and (wait\$3 near (signal\$1 or command\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:28
L67	87	l64 and (wait\$3 near (signal\$1 or command\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:29
L68	206	l62 and (wait\$3 near (signal\$1 or command\$1 or state\$1)) and register\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:28
L69	76	l62 and (wait\$3 near (signal\$1 or command\$1 or state\$1)) and register\$2 and (bus near2 control\$5) and (bus near2 interfac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:29
L70	27	l64 and (wait\$3 near (signal\$1 or command\$1 or state\$1)) and register\$2 and (bus near2 control\$5) and (bus near2 interfac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:29
S1	3	SESUMI-KAZUNARI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:39
S2	76129	(oki near electric).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:39
S3	1	S1 and wait\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:40
S5	55	S2 and (wait\$ near signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:40

S6	42	S2 and (wait\$ near signal\$1) and time\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:40
S7	16	S2 and (wait\$ near signal\$1) and (access\$6 with time\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:42
S8	10	S2 and (wait\$ near signal\$1) and (access\$6 with time\$1) and register\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:42
S9	4	S2 and (wait\$ near signal\$1) and (access\$6 with time\$1) and register\$4 and (bus with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 13:12
S11	1233	(wait\$3 near signal\$1) and (access\$6 with time\$1) and register\$4 and (bus with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:46
S12	268	(wait\$3 near signal\$1) and ((access\$6 with time\$1)with register\$1) and register\$4 and (bus with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:47
S13	268	(wait\$3 near signal\$1) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:47
S14	184	(wait\$3 near signal\$1) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:47
S15	162	(wait\$3 near signal\$1) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:48
S16	213	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:49

S17	37	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((wait\$3 near (signal\$1 or command\$1)) with time\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:57
S18	23	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 same ((exten\$6 or increas\$5) with time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:01
S19	55	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:16
S20	156	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5 or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:16
S21	40	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5)) and (lsi or (large adj integrated adj circuit\$4) or microcontrol\$5 or microcomput\$6 or (micro adj (comput\$4 or control\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:40

S22	20	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and (lsi or (large adj integrated adj circuit\$4) or microcontrol\$5 or microcomput\$6 or (micro adj (comput\$4 or control\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:28
S23	27	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:47
S24	27	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:59
S25	27	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or access\$4 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:00

S26	27	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:46
S27	23	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:48
S28	23	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 14:34
S29	32	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 14:36

S30	40	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 14:37
S31	36	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus near2 interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 14:37
S32	43	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus near2 interfac\$5) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:03
S33	47	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (wait\$3 with (exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:04

S34	353	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:04
S35	31	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6) and (remap\$4 or (re adj map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:02
S36	1	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1 with (extend\$5 or extension\$1 or increas\$5)) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6) and (remap\$4 or (re adj map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:35
S37	22	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and ((bus or buses) with (time\$1 or cycle\$1) with control\$6) and (remap\$4 or (re adj map\$4)) and ((extend\$4 or extension\$1 or increas\$5) with (time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:36
S38	106	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$4 or (re adj map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:03

S39	28	(wait\$3 near (signal\$1 or command\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$4 or (re adj map\$4)) and (external near bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:10
S40	147	(wait\$3 near (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$4 or (re adj map\$4)) and (external near bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:11
S41	108	(wait\$3 adj (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$4 or (re adj map\$4)) and (external near bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:14
S42	5	(wait\$3 adj (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$4 or (re adj map\$4)) and (external near bus near control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:34
S43	129	(wait\$3 adj (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$4 or (re adj map\$4)) and (external near2 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:20

S46	102	(wait\$3 adj (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$5 or (re adj map\$5)) and (external with bus with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:31
S47	205	(wait\$3 adj (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$5 or (re adj map\$5)) and (external\$3 near (bus or control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:32
S48	172	(wait\$3 adj (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (remap\$5 or (re adj map\$5)) and (external\$3 adj (bus or control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:32
S50	30	(wait\$3 adj (signal\$1 or command\$1 or state\$1)) and (((set\$1 or setting) with (time\$1 or cycle\$1)) with register\$1) and (bus with (control\$5 or microcontrol\$5 or (micro adj control\$5))) and (bus with interfac\$5) and (external near bus near control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:34
S51	153	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and register\$4 and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and (exten\$6 or increas\$5) with (time\$1 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:47

S52	142	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and external\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:47
S53	30	(wait\$3 near (signal\$1 or command\$1)) and ((access\$6 with time\$1) with register\$1) and (bus with control\$5) and (bus with interfac\$5) and (request\$4 with (command\$1 or signal\$1)) and ((exten\$6 or increas\$5) with (time\$1 or cycle\$1)) and ((bus with control\$5) same ((exten\$6 or increas\$5) with (time\$1 or cycle\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:49